

Contents

1	Introduction	1
	Bibliography	5
2	Experimental Techniques	9
2.1	Introduction	9
2.2	Commercial systems	10
	2.2.1 PPMS: heat capacity measurements	10
	2.2.2 MPMS: SQUID magnetometry	13
2.3	Dilution Refrigerator	15
	2.3.1 Early progress of low temperature physics and technologies	15
	2.3.2 Properties of ^3He - ^4He mixtures	17
	2.3.3 The refrigeration circuit	19
	2.3.4 Minikelvin 126-TOF model from Leiden Cryogenics	21
	Bibliography	22
3	Development and characterization of SQUID...	25
3.1	Introduction	25
3.2	SQUIDs and their applications	26
	3.2.1 Quantum behavior of a Josephson junction	27
	3.2.2 dc SQUID	29
	3.2.3 Noise in a dc SQUID	31
	3.2.4 SQUID read out	33
	3.2.5 SQUID applications	34
3.3	Micro-SQUID susceptometry	35
	3.3.1 Magnetic susceptometry	35
	3.3.2 Use of a SQUID as external detector of the susceptome- ter: basic operation	36
3.4	Previous examples and designs of μSQUID susceptometers and...	38
	3.4.1 Development of microSQUID ac susceptometers. Previ- ous work and background	40
3.5	Characterization of the H32 microSQUID susceptometer	43
	3.5.1 Background signal	45

3.5.2	Scaling function	47
3.6	Third generation of micro SQUIDs: Characterization and development...	52
3.6.1	Introduction: common characteristics	52
3.6.2	Measurement of basic characteristics	53
3.6.3	Noise measurements	56
3.6.4	Background signal	60
3.6.5	Background signal compensation	64
3.7	Fabrication and characterization of nanosusceptometers	68
3.7.1	Introduction	68
3.7.2	Basic concept	69
3.7.3	Experimental realization	71
3.7.4	Nanoloop characterization	71
3.7.5	Measurement of a Permalloy sample	72
3.7.6	Measurement of a Mn ₁₂ microcrystal	73
3.8	Summary and conclusions	75
	Bibliography	76
4	Realization of molecular CNOT and SWAP quantum gates	83
4.1	Introduction	83
4.2	Experimental requirements for the realization of quantum gates	85
4.2.1	Two well defined and coherent qubits	85
4.2.2	Coupling between qubits	85
4.2.3	Addressable qubits	86
4.3	Experimental candidates for quantum gates	87
4.3.1	NMR on solutions of cytosine in D ₂ O	87
4.3.2	Optical cavities	87
4.3.3	Ionic traps	87
4.3.4	Superconducting qubits	89
4.3.5	Semiconductor quantum dots	89
4.3.6	Nitrogen-vacancy centers in diamond	90
4.3.7	Single Molecule Magnets	90
4.4	Synthesis and main characteristics of spin dimers	90
4.4.1	Synthesis and architecture of spin dimers	91
4.4.2	Study of lattice and non magnetic behavior. Heat capacity measurements	92
4.5	Theoretical model	94
4.5.1	Spin Hamiltonian	94
4.5.2	Kramers ions	96
4.5.3	Non-Kramers ions	97
4.5.4	Partition function and observables	98

4.6	Experimental study of molecular qugates with asymmetrical environment	102
4.6.1	Main characteristics of a Tb_2 dimer	102
4.6.2	Magnetic susceptibility and specific heat measurements	103
4.6.3	Further measurements	106
4.6.4	EPR experiments: CNOT and SWAP transitions	107
4.7	Experimental study of molecular qugates with asymmetrical environment	110
4.7.1	Main characteristics of a Dy_2 dimer	110
4.7.2	Magnetic susceptibility and specific heat measurements	111
4.8	Experimental study of molecular qugates with different components: ErCe	115
4.8.1	Main characteristics of ErCe dimer	115
4.8.2	Measurements on YCe and ErLa monomers	116
4.8.3	Measurements on the ErCe dimer	118
4.8.4	Study of coherence time	123
4.9	Conclusions	123
	Bibliography	125
5	Molecular prototypes for 3-qubit gates	129
5.1	Introduction	129
5.2	Universal 3-qubit gates: Toffoli and Fredkin	130
5.3	Quantum error correction	131
5.4	Experimental requirements for quantum gates	135
5.5	Synthesis and main characteristics of spin trimers	135
5.6	Spin Hamiltonian	137
5.6.1	Single ion Hamiltonian	137
5.6.2	Spin-spin interaction terms	139
5.6.3	Spin Hamiltonian for CuLaCu	139
5.6.4	Spin Hamiltonian for CuErCu	140
5.7	Experimental study of molecular 3-qubit gates	140
5.7.1	CuLaCu	140
5.7.2	CuErCu	143
5.8	Conclusions	145
	Bibliography	146
6	Quantum spin relaxation in molecular dimers	149
6.1	Introduction	149
6.2	Relaxation processes	150
6.2.1	Spin-lattice relaxation mechanisms	151
6.2.2	Experimental methods for measuring relaxation processes	155
6.3	Relaxation processes in a single lanthanide ion	157

6.3.1	ErLa	157
6.3.2	DyLa	160
6.4	Relaxation processes in molecular dimers	164
6.4.1	Er ₂	164
6.4.2	Dy ₂	167
6.5	Summary and conclusions	170
	Bibliography	172
7	Experimental study of molecular qubits on surfaces	175
7.1	Introduction	175
7.2	Molecular deposition: DPN technique	176
7.3	Coupling of Single Molecule Magnets to superconducting circuits	177
7.4	Mn ₁₂ measurements on 30 μm loop SQUIDs	178
7.4.1	Mn ₁₂ bz molecules	178
7.4.2	Fabrication of Mn ₁₂ bz arrays by DPN lithography	179
7.4.3	Estimation of the number of Mn ₁₂ bz molecules deposited with DPN	184
7.4.4	ac susceptibility measurements	184
7.4.5	Discussion	187
7.5	Dy ₂ measurements on 30 μm loop SQUIDs	187
7.5.1	Dy ₂ molecules	187
7.5.2	DPN lithography of Dy ₂	188
7.5.3	ac susceptibility measurements	189
7.5.4	Discussion	192
7.6	Conclusions	192
	Bibliography	193
	General conclusions	197
	List of publications	199